

XCFR2.E213459 - Terminal Blocks - Component

Terminal Blocks - Component

See General Information for Terminal Blocks - Component

JEONO CO LTD
641 AEGIBONG-RO TONGJIN-EUP
GIMPO-SI, GYEONGGI-DO 415-862 REPUBLIC OF KOREA

E213459

Cat. No.	Wire Range	Wire Type	FW	TQ Lb In.	V	A	UG	CA
JOTN-15A	16-22 STR	CU	2	17.0	600	15	D	2(115), 4
	16-22 STR	CU	2	17.0	300	15	B,C	2(115), 4
JOTN-25A	12-14 STR	CU	1	26.0	600	25	D	2(125),5
	12-14 STR	CU	1	26.0	600	25	B,C	2(125),5
JOTN-35A	8 STR	CU	2	26.0	300	35	B,C	2(125),4
	8 STR	CU	2	26.0	600	35	D	2(125),4
JOTN-60A	6 STR	CU	2	45.0	300	60	B,C	2(125),4
	6 STR	CU	2	45.0	600	60	D	2(125),4
JOTN-100A	2 STR	CU	2	88.0	300	100	B,C	2(125),4
	2 STR	CU	2	88.0	600	100	D	2(125),4
JOTN-150A	1/0 STR	CU	2	132.0	300	150	B,C	2(125),4
	1/0 STR	CU	2	132.0	600	150	D	2(125),4
JOTN-15W	22-14 STR	CU	2	17.0	300	15	B,C	2(125),4
	22-14 STR	CU	2	17.0	600	15	D	2(125),4
PA8, PA8DS	12-22 Sol/Str	Cu	2	3.5	300	20	B	1,2(105), 4,#
PA10	10-22 sol, 10-14 str	Cu	2	4.4	300	30	B	1,2(105), 4,#
PA10DS	12-22, sol/str, 10 sol	Cu	2	4.4	300	30	B,C	1,2(105),4,#
PA14, PA14DS	8-20	Cu	2	12	150	50	C	1,2(105)#,3
	8-20	Cu	2	12	300	50	B	1,2(105)#,3
PA12, PA12DS	10-22	Cu	2	7	300	35	B	1,2(105)#3
PA16	6-14	CU	1,2	10	150	65	C	✓ Accept

			1,2	10	300	68	B	
PA18	4-12	Cu	2	18	300	85	B,C	2(105),4
			1	18	300	87	B,C	
PA003	14-18	Cu	2	4.4	300	15	B,D	2(75),4
PA11	14-18 sol screwside	Cu	2	4.5	300	12	B,D	1,2(105)4
	16-20 sol push-inside							
PA001, PA002	14-26	Cu	2	2	300	10	B,C	1,2(75),4,#
JOTB-20(a)	22 AWG - 10 AWG, Prepared only	Cu	2	26	300	20	B, C	2(80), 5
					600	20	D	
JOTB-30(b)	18 AWG - 10 AWG, Prepared only	Cu	2	26	300	30	B, C	2(80), 5
					600	30	D	
JOTB-45-10	18 AWG - 8 AWG, Prepared only	Cu	2	35	300	45	B, C	2(80), 5
					600	45	D	
JOTB-60(c)	18 AWG - 6 AWG, Prepared only	Cu	2	35	600	60	B, C	2(80), 5
JOTB-100(c)	4 AWG, Prepared only	Cu	1	63.7	600	100	B, C	2(80), 5
	14 AWG - 4 AWG, Prepared only		2			85		
JOTB-150(c)	10 AWG - 1/0 AWG, Prepared only	Cu	2	88	600	150	B, C	2(80), 5
JOTB-200(c)	10 AWG - 3/0 AWG, Prepared only	Cu	2	88	600	200	B, C	2(80), 5
JOTB-300(c)	10 AWG - 350 kcmil, Prepared only	Cu	2	132	600	300	B, C	2(80), 5
JOTB-400(c)	10 AWG - 600 kcmil, Prepared only	Cu	2	132	600	400	B, C	2(80), 5
JOTB-600(c)	1000 kcmil, Prepared only	Cu	1	132	600	600	B, C	2(80), 5
	10 AWG - 1000 kcmil, Prepared only		2			545		

information about your use of our
site with our social media,
advertising and analytics
partners.. **Learn More**

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our